

SEPEC Tutorial

hypermedia & information reconstruction

Addressing Hypertext Design & Conversion Issues

Robert J. Glusko

December 3, 1990

Houston, Texas

South Shore Harbour Resort & Conference Center

N91-18632

Unclas

63/01 0332470

(NASA-CR-187934) ADDRESSING HYPertext
DESIGN AND CONVERSION ISSUES (Houston
Univ.) 86 p CSCI 098

SEPEC

Software Engineering Professional Education Center
University of Houston-Clear Lake
2700 Bay Area Blvd., Box 258
Houston, Texas 77058
(713) 282-2223

Co-Sponsored by
University of Houston-Clear Lake
NASA/Johnson Space Center
Hypermedia Working Group

HYPERTEXT DESIGN AND CONVERSION

tutorial for Hypermedia '90

Robert J. Glushko

Search Technology, Inc.

Norcross, GA

(404) 441-1457

copyright 1989, 1990 Robert J. Glushko

COURSE OUTLINE

I. Introduction (:30)

II. Definitions and Basic Concepts (:20)

III. Design Issues (:60)

IV. Applications (:30)

V. "Off the Shelf" Software (:20)

VI. Converting Text into Hypertext (:30)

ABOUT THE INSTRUCTOR

Dr. Robert J. Glushko is a Principal Scientist with Search Technology, a consulting and contract research firm that specializes in user interfaces to complex systems. He received a BA (Psychology) from Stanford University, a Ph.D. in cognitive psychology from the University of California, San Diego, and a M.S. in Software Engineering from the Wang Institute. He previously worked at Bell Laboratories and the Software Engineering Institute, and has been involved with research and development in user interfaces, online documentation, and hypertext for over a decade.

Relevant publications:

Glushko, R. J. (in press, 1991). *Hypertext Engineering*. Bedford, MA: Digital Press, 1991.

Glushko, R. J. (1990). Using off the shelf software to create a hypertext electronic encyclopedia. *Technical Communication*, 37(1), February 1990.

Glushko, R. J. (1990). Designing "electronic encyclopedias" with hypertext software. *Human Factors Bulletin*, 33(1), January 1990, 6-9.

Glushko, R.J. (1990). Report from the User Requirements working group. *Proceedings of the National Institute of Standards and Technology Hypermedia Standardization Workshop*. Gaithersburg, MD: 1990.

Glushko, R. J. (1990). Visions of grandeur? Making the hypermedia vision happen. *Unix Review*, 8(2), February 1990, 70-80.

Glushko, R. J. (1989). Design issues for multi-document hypertexts. *Proceedings of the Second ACM Conference on Hypertext: Hypertext '89*, 51-60.

Glushko, R.J. (1989). Transforming text into hypertext for a compact disc encyclopedia. *Proceedings of the ACM Conference on Computer-Human Interaction - CHI '89*, 293-298.

Glushko, R.J., Weaver, M.D., Coonan, T.A., & Lincoln, J.E. (1988). "Hypertext engineering": Practical methods for creating a compact disc encyclopedia. *Proceedings of the ACM Conference on Document Processing Systems*, 11-19.

WHAT IS HYPERTEXT?

**A right-brain artistic panacea that is a
revolutionary new concept**

"Hype" + something else

**An evolutionary concept for increasing the
accessibility and usefulness of online text**

MEMEX

Vannevar Bush (1945): *"As We May Think"*

"A device in which an individual stores his books, records, and communications"

- * "scanner" with miniaturized microfilm as storage medium**
- * voice and written annotation**
- * most contents are purchased and inserted; "wholly new forms"**
- * view page by page or jump many pages at a time**

Associative indexing; "the process of tying two items together is the important thing"

- * a trail is the sequence of links between associated pages; each new trail creates a "virtual book"**
- * any item can be joined into numerous trails**
- * new profession of "'trail blazers'"**

EXAMPLE: HYPERTEXT ENCYCLOPEDIA

ENGINEERING DATA COMPENDIUM

**4 volumes / 1138 articles / 3000 pages / 2000
figures and tables**

Complementary entry points

"Scientific" table of contents

**Design checklist -- alternate table of
contents**

"Back of the book" index

**Extensive cross references and external
references**

Regular structure for articles



Discusses long, business, strategic vision, philosophy, vision, strategic vision

The human eye is sensitive to a wide range of light intensities. From a minimum visible level of ~ 0.0001 scotopic trolands, to an upper saturation limit of over 500,000 scotopic trolands, there is very low levels of chromaticity for S. (daylight) is termed scotopic vision and is mediated by the rods; visual activity at a pair with scotopic vision and no sensation of color (Purdy is termed Vmax at high intensity levels (S. daylight) is termed photopic vision and is mediated by the cones. Human vision is characterized by high visual acuity and


the penetration of cells. *Macropod (calfskin)* when conditioned by beta rays and electron sources with intermediate light intensities (10^{-3} – 10^{-4} cd/cm²).

[illegible]

DR. A. A. LAMAR, 18 Broadway, New York City 10004
 Accepted for Publication April 19, 1967

1. **Boston-Cambridge, I. D. Crane**,
about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836,

**• 100 Range of water supply in
the following manner:**



~~ORIGINAL PAGE IS~~
~~OF POOR QUALITY~~




Figure 5. The relationship between the frequency of a stimulus given to a constant position and the number of responses of the open relation to the light on four days of starting different sessions of two pairs. (From Ref. 1)

HYPERTEXT FEATURES

Derived from existing structure


- * Next, previous, ? entry functions**
- * Links to figures and tables**
- * Links to cross references**
- * Embedded glossary definitions**

Derived from contextual structure

- * Bookmarks**
- * Return to entry point**
- * Return to search candidate list**

Derived from usability concerns

- * Context-sensitive help**
- * "Sticky" notes**



Glushko, R. J. Transforming text into hypertext for a compact disc encyclopedia. *Human factors in computing systems*. CHI '89 Conference Proceedings, ACM: New York, 293-298, 1989.

ORIGINAL PAGE IS
OF POOR QUALITY





Figure 2. The decrease in brightness from daylight (5:00 pm) to darkness (sunset ~9:30 pm) on July 14, 1942 (adapted from Ref. 2). Angle of test patch in relation to sun not given.



Contents

Section 1.1 Measurement of Light

1.101	Range of Visible Energy in the Electromagnetic Radiation Spectrum	1.107	Color Temperature
1.102	Spectral Distribution of Radiant Energy	1.108	Spectral Transmittance and Reflectance
1.103	Range of Light Intensities Confronting the Eye	1.109	Photometric Techniques for Measuring Spectral Sensitivity
1.104	Measurement of Radiant and Luminous Energy	1.110	Luminous Efficiency (Spectral Sensitivity)
1.105	Image Luminance with Optical Viewers	1.111	Luminous Efficiency: Effect of Pupil Entry Angle
1.106	Conversion of Scene Luminance to Retinal Illuminance		

Section 1.2 Optics of the Eye

1.201	Anatomy of the Human Eye	1.223	Resting Position of Accommodation
1.202	Transmissivity of the Ocular Media	1.224	Normal Variation in Accommodation
1.203	The Eye as an Optical Instrument	1.225	Normal Variation in Accommodation: Similarity in the Two Eyes
1.204	Spherical Refractive Errors	1.226	Visual Accommodation: Effect of Luminance Level and Target Structure
1.205	Astigmatism	1.227	Eye Focus in Dim Illumination (Night Myopia)
1.206	Effect of Lenses on the Visual Image	1.228	Accommodation: Effect of Dark Focus, Luminance Level, and Target Distance
1.207	Eye Center of Rotation and Rotation Limits	1.229	Accommodation: Effect of Oscillatory Changes in Target Distance
1.208	Interpupillary Distance	1.230	Accommodation: Effect of Abrupt Changes in Target Distance
1.209	Visual Optics	1.231	Relation Between Accommodation and
1.210	Optical Constants of the Eye		
1.211	Spherical Aberration		
1.212	Axial Chromatic Aberration		
1.213	Diffraction of Light in Optical Systems		

Documents Browse Search Bookmarks Print Notes Help Quit CD-ROM

BROWSE — COMPENDIUM TABLE OF CONTENTS

--> Select heading to expand detail; select entry # to display it

- 1.0 Visual Acquisition of Information
 - 1.01 Measurement of Light
 - 1.02 Optics of the Eye
 - 1.03 Sensitivity to Light
 - 1.04 Adaptation: Changes in Sensitivity
 - 1.05 Sensitivity to Temporal Variations
 - 1.06 Spatial Sensitivity
 - 1.07 Color Vision
 - 1.08 Binocular Vision
 - 1.09 Eye Movements
- 2.0 Auditory Acquisition of Information
- 3.0 Acquisition of Information by Other Senses
- 4.0 Information Storage and Retrieval
- 5.0 Spatial Awareness
- 6.0 Perceptual Organization
- 7.0 Attention and Allocation of Resources
- 8.0 Human Language Processing
- 9.0 Operator Motor Control

Find

LEVELS

NEXT

PREV

#

of

Abduction, 1.905. *See also* Eye movements

Aberration, optical

chromatic, 1.203, 1.212, 5.934

refractive errors, 1.204, 1.205

spherical, 1.211

Abney effect, 1.707, 1.708

Abney's Law, 1.109

Absolute threshold, 1.656

Absorption defect

in color vision, 1.726

Absorption filter, 1.108

AC/A ratio, 1.231. *See also* Accommodation; convergence

Acceleration

angular (rotary)

acceleration detection threshold, 3.208

effect on eye movements, 1.930, 1.958

perrotary procedures, 3.205

postrotary procedures, 3.205

sensory magnitude, 3.208

and visual acuity 1.603, 10.902

control of, 9.519

display of, 9.532

illusions due to, 3.210

elevator illusion, 3.210, 5.504, 5.505

oculogravic illusion, 3.210, 5.504, 5.505

oculogyral illusion, 1.921, 3.205, 3.208, 3.209

See also Vestibular illusions

linear

acceleration detection threshold, 3.207

—> Select heading to expand detail; select entry # to display it

A

Abduction
Aberration, optical
Abney effect
Abney's Law
Absolute threshold
1.8656
Absorption defect
Absorption filter
AC/A ratio
Acceleration
Accessory stimulation effects
Accommodation
Achromatic color
Achromatic contrast
Achromatic induction
Achromatic lens
Achromatic lightness scale

Find

LEVELS

NEXT

PREV

#

of

1.0102 Spectral Distribution of Radiant Energy

--> Select sidebar buttons to show figures or other entries

FIGURE

ENTRY #

NEXT

PREVIOUS

BROWSER

HITS

NEXT HIT

PREV HIT

Find

LEVELS

NEXT

PREV

#

of

three common artificial sources of illumination

Fovea

A pit in the center of the retina (approximately 1-2 deg of visual angle in diameter) where the density of cones is highest and visual acuity is greatest.

NEXT

PREVIOUS

CANCEL

II. DEFINITIONS AND BASIC CONCEPTS

Definitions of hypertext and hypermedia

Why is hypertext such a hot topic?

Hypertext history

DEFINITIONS

**(NIST hypertext standards
working group, 1990)**

Hypertext

**A network of information units
connected by relational links**

Hypertext System

**A configuration of hardware and software
that presents a hypertext to users
and allows them to manage and access
the information that it contains**

WHAT IS HYPERTEXT?

Hypertext is a user interface concept that closely supports the ways that people use printed information

- * more intuitive transformation of the conventions in print media that imply non-linear information presentation and usage within a document**

- + entry points like tables of contents and indexes**

- + relationships like footnotes and cross references**

- + "usage history" like bookmarks and margin notes**

- * improves the integration of related information that is contained in multiple documents**

Hypertext concepts encourage modularity and the elimination of redundancy in databases because information can be stored only once but viewed in any appropriate context

HYPERMEDIA AND MULTIMEDIA

Hypermedia

- * Hypertext + audio, video, animation**

Multimedia

- * Personal computers + consumer electronics**
- * Synchronized presentation of full-bandwidth information in a preprogrammed way**

Are there meaningful distinctions?

- * "Hypermedia" emphasizes the application; "multimedia" emphasizes the technology**
- * Hypermedia usually implies more user control**
- * Multimedia usually implies more synchronization of events from different media**
- * Multimedia "standards" vs. hypermedia "vision"**

CORE CONCEPTS FOR HYPERTEXT

Units (components, nodes, containers) -- the information content; may be text, graphics, or other media; may be "typed" by media or by content; ("card" is a user interface description)

Links -- connections between units; may also be "typed"

Anchors -- the locations (point, region, or span) in units to which links are attached

Link markers -- the manifestation of links that are presented to users

Navigation -- process of moving from one unit to another by following links

Trails/webs/guides/paths -- Subsets of units or links, created by user or as pre-defined route through the hypertext

WHY IS HYPERTEXT SUCH A HOT IDEA?

Enabling technology

- * workstations and personal computers finally provide enough local processing power (for hypertext user interfaces)**
- * CD-ROM and other optical media for storage**
- * user interface software and concepts maturing**

Information standards efforts with hypertext implications

- * CALS for U.S. DoD**
- * ATA-100 for airline industry**
- * SGML for publishing industry**

Market pressures

- * incentives for digital information delivery**
- * *Hyper-this, Hyper-that* bandwagon**

Academic interest

- * ACM conferences**

HYPERTEXT HISTORY

1945 Vannevar Bush describes the Memex

1964 Doug Englebart (SRI);

Augmentation Research

1965 Ted Nelson; Xanadu concept;

coins "hypertext"

1968 Englebart's NLS demo;

1st hypertext system (outline

viewer, mouse, bookmarks)

1968 van Dam & Nelson (Brown);

Hypertext Editing System

1969 van Dam; FRESS (graphical views,

history timelines, undo)

1972 Newell (CMU); ZOG

(card metaphor)

1979 van Dam; Electronic Document

System (graphical documents)

HYPERTEXT HISTORY (CONT.)

- 1980 Newell; ZOG on USS Carl Vinson**
- 1981 ZOG commercialized as KMS**
- 1983 Institute for Research on
Scholarship (Brown)**
- 1984 Halasz et al. (Xerox); NoteCards
(programming environment)**
- 1985 Walker (Symbolics); Document
Examiner (on line manual)**
- 1986 Guide (1st PC hypertext)**
- 1987 HyperCard, HyperTIES**
- 1987 ACM Hypertext conference**
- 1987 Walker; Concordia (authoring tools)**
- 1988 1st wave of hyperclones**
- 1988 ACM "Hypertext on Hypertext"**
- 1989 Hypermedia; 1st dedicated journal**
- 1989 ACM Hypertext conference II**

HYPERTEXT HISTORY: EVOLUTIONARY VIEW

1960s -- Computer databases for limited storage and retrieval of abstracts, but no full text

1970s -- Text databases and information retrieval on mainframes and large minis emerge; Online documentation and online help emerge on micros and minis

1980s -- Workstations and high-end PCs have enough power and capacity to support text databases and better user interfaces --> hypertext functions

1990s -- Software and hardware support for hypermedia in "off the shelf" computing environments

III. DESIGN ISSUES

Hypertext functionality

Entry points

Units

Links

Navigation support

HYPERTEXT FUNCTIONALITY

Functions identified via task analysis

- * information needed vs. information used**
- * need "friendly users" to make functions "user friendly"**

Functions identified via document analysis

- * existing and potential entry points**
- * existing and potential units**
- * existing and potential interconnections**
- * "front matter" and "gray matter"**

Typical functions

- * progressive display of structure**
- * create, edit, display, delete units**
- * create, follow, edit, delete links**
- * create notes or bookmarks**
- * search for units with specified attributes**

ENTRY POINTS

**(Places for users to enter the hypertext
or to locate a starting unit)**

Existing entry points

- * Table of contents**
- * "Back of the book" index**
- * Glossary**

Potential entry points

- * Full-text inverted index**
- * Author list created from inverted references**
- * Timelines**

Accounting

The purpose of accounting is to provide information about the economic affairs of an organization. This information may be used in a number of ways: by the organization's managers to help them plan and control the organization's operations; by owners and legislative or regulatory bodies to help them appraise the organization's performance and make decisions as to its future; by owners, lenders, suppliers, employees, and others to help them decide how much time or money to devote to the organization; by governmental bodies to determine how much tax the organization must pay.

Accounting provides information for all these purposes

through the maintenance of files of data and the preparation of various kinds of reports. Most accounting information is historical—that is, the accountant observes the things that the organization does, records their effects, and prepares reports summarizing what has been recorded.

Accounting information can be developed for any kind of organization, not just for privately owned, profit-seeking businesses. One branch of accounting deals with the economic operations of entire nations. The remainder of this article, however, will be devoted primarily to business accounting.

The article is divided into the following sections:

Company financial statements	1	Net income	4
The balance sheet	1	Problems of measurement	4
The income statement	1	Managerial accounting	5
The statement of changes in retained earnings	2	Cost finding	5
The statement of changes in financial position	2	Distribution cost analysis	5
Consolidated statements	3	Budgetary planning and performance reporting	6
Disclosure and auditing requirements	3	Cost and profit analysis	7
Measurement principles	3	Other purposes of accounting systems	7
Asset value	3	Bibliography	8
Asset cost	3		

COMPANY FINANCIAL STATEMENTS

Some accounting reports are issued only to the company's management or to tax agencies (see below *Managerial accounting*; *Other purposes of accounting systems*); others are sent to investors and others outside the management group. The reports most likely to go to investors are called the company's financial statements, and their preparation is the province of the branch of accounting known as financial accounting. Four kinds of financial statements will be discussed: the balance sheet, the income statement, the statement of changes in retained earnings, and the statement of changes in financial position.

The balance sheet. A balance sheet describes the resources that are under the company's control on a specified date and indicates where these resources have come from. It consists of three major sections: (1) the assets: valuable rights owned by the company; (2) the liabilities: the funds that have been provided by outside lenders and other creditors in exchange for the company's promise to make payments, or to provide services in the future; (3) the owners' equity: the funds that have been provided by or on behalf of the company's owners.

The list of assets shows the forms in which the company's resources are lodged; the lists of liabilities and the owners' equity indicate where these same resources have come from. The balance sheet, in other words, shows the company's resources from two points of view, and the following relationship must always exist: total assets equals total liabilities plus total owners' equity.

This same identity is also expressed in another way: total assets minus total liabilities equals total owners' equity. In this form, the equation emphasizes that the owners' equity in the company is always equal to the net assets (assets minus liabilities). Any increase in one will inevitably be accompanied by an increase in the other, and the only way to increase the owners' equity is to increase the net assets.

Assets and liabilities

Assets are ordinarily subdivided into current assets and noncurrent assets. The former include cash, amounts receivable from customers, inventories, and other assets that are expected to be consumed or can be readily converted into cash during the next operating cycle (production, sale, and collection). Noncurrent assets may include noncurrent receivables, fixed assets (such as land and buildings), and long-term investments, usually shares of stock and bonds of other companies.

The liabilities are similarly divided into current liabilities and noncurrent liabilities. Most amounts payable to the company's suppliers (accounts payable), to employees (wages payable), or to governments (taxes payable) are included among the current liabilities. Noncurrent liabilities consist mainly of amounts payable to holders of the company's long-term bonds and such items as obligations to employees under company pension plans.

The difference between the total of the current assets and the total of the current liabilities is known as net current assets, or working capital.

The owners' equity of a U.S. company is divided between paid-in capital and retained earnings. Paid-in capital represents the amounts paid to the corporation in exchange for shares of the company's preferred and common stock. The major part of this, the capital paid in by the common shareholders, is usually divided into two parts, one representing the par value, or stated value, of the shares, the other representing the excess over this amount. The amount of retained earnings is the difference between the amounts earned by the company in the past and the dividends that have been distributed to the owners.

Owners' equity

A slightly different breakdown of the owners' equity is used in most of continental Europe and in other parts of the world. The classification distinguishes between those amounts that cannot be distributed except as part of a formal liquidation of all or part of the company (capital and legal reserves) and those amounts that are not restricted in this way (free reserves and undistributed profits).

A simple balance sheet is shown in Table 1. Because the two sides of this balance sheet represent two different aspects of the same entity—the corporation's capital—the totals must always be identical. Thus a change in the amount for one item must always be accompanied by an equal change in some other item. For example, if the company pays \$40 to one of its trade creditors, the cash balance will go down by \$40, and the balance in accounts payable will go down by the same amount.

The income statement. The company uses its assets to produce goods and services. Its success depends on whether it is wise or lucky in the assets it chooses to hold and in the ways it uses these assets to produce goods and services.

The company's success is measured by the amount of profit it earns—that is, the growth or decline in its stock of assets from all sources other than contributions or

Net income

USER INTERFACES FOR ENTRY POINTS

Outline viewers

- * Purpose is to provide progressive display of structure with detail where user requests**
- * Often called "browsers" but confusion with browsing as "wandering around"**
- * Essential component when units are hierarchically structured**
- * Can often be created semi-automatically from document markup, or by "extraction and inversion" such as for timelines or reference lists**

When "browser" uses graphics, blurred distinction between entry points and navigation support after entering

Table of Contents

Guidelines for Designing User Interface Software

1 DATA ENTRY

2 DATA DISPLAY

2.8 General

2.1 Text

2.1/1

Conventional Text Display

2.1/2

Printing Lengthy Text Displays

2.1/3

Consistent Text Format

2.2 Data Forms

2.3 Tables

3 Text Headers

2.1/2

Printing Lengthy Text Displays

When a user must read lengthy textual material, consider providing that text in printed form rather than requiring the user to read it on-line.

Comment

Reading lengthy text on an electronic display may be 28-38 percent slower than reading it from a printed copy.

Reference

Gould Grischowsky 1984

Gould, J. D., and Grischowsky, N. (1984). Doing the same work with hard copy and with cathode-ray tube (CRT) computer terminals. Human Factors, 26, 323-337.

Muter Latremouille Tremoulet Beam 1982

Volume 1 of 19

Command: EXPAND

Timeline Click on an item with a dot to go to a related article.

1800's 1810's **1820's** 1830's 1840's 1850's

1820 1821 1822 1823 **1824** 1825 1826 1827 1828 1829

- Federal tariffs on imports increased; action is widely criticized in agricultural South, which must pay more for imported goods.

American Sunday School Union founded.

Rensselaer Polytechnic Institute founded in Troy, N.Y., to teach science and engineering.

- Frontiersman Jim Bridger is first white man to sight Great Salt Lake.

- United States and Russia sign a diplomatic agreement that restricts Russian territorial claims on Pacific coast of North America to land north of 54°40' latitude.

Cooper's "The Pilot" is published.




Figure 9. The timeline cards provide the user with information about events that occurred during each year, from 1800 to 1850. To select a year, the user clicks on a particular decade button and then on a specific year button. If bullets precede the text of an item in the timeline, a related article exists in the database. The user can view this article by clicking on the bulleted item.

Salomon, G., Oren, T., and Kreitman, K. Using guides to explore multimedia databases. Apple Multimedia Lab Tech Report #15, November 1988.

IDENTIFYING UNITS

Units are both "containers" and "addresses" that have names to support functions like searching and giving directions, especially with large amounts of similar units

Units may seem self-evident but usually aren't

- * "Natural units" seem to be articles in an encyclopedia, items in a catalog, but...**
- * Is "page" an important unit? No, well maybe...; West Pub. vs. Mead Data**
- * Constraints on unit definition**
 - + delivery software**
 - + other (JASIS and ASIS Bulletin)**

Definitions of "natural" unit

- * "The smallest logical structure with a unique name"**
- * "A component that says something self-contained and comprehensible"**
- * "Whatever makes the links right"**

Military Standard 1472D. *Human Engineering Design Criteria for Military Systems, Equipment, and Facilities.* (1988)

5.4.2.2 Continuous adjustment rotary controls.

5.4.2.2.1 Knobs.

5.4.2.2.1.1 Use. Knobs should be used when low forces or precise adjustments of a continuous variable are required. A moving knob with fixed scale is preferred over a moving scale with fixed index for most tasks. If positions of single revolution controls must be distinguished, a pointer or marker should be available on the knob.

5.4.2.2.1.2 Dimensions, torque and separation. The dimensions of knobs shall be within the limits specified in Figure 7. Within these ranges, knob size is relatively unimportant, provided the resistance is low and the knob can be easily grasped and manipulated. When panel space is extremely limited, knobs should approximate the minimum values and should have resistance as low as possible without permitting the setting to be changed by vibration or merely touching the control. Resistance and separation between adjacent edges of knobs shall conform to Figure 7.

5.4.2.2.1.3 Knob style. Unless otherwise specified by the procuring activity, control knob style shall conform to MIL-STD-1348.

5.4.2.2.2 Ganged control knobs.

5.4.2.2.2.1 Application. Ganged knob assemblies may be used in limited applications when panel space is at a premium. Two-knob assemblies are preferred. Three-knob configurations should be avoided. Ganged knob configurations should not be used under the following conditions:

- a. Extremely accurate or rapid operations are required.
- b. Frequent changes are necessary.
- c. Heavy gloves must be worn by the operator.
- d. Equipment is exposed to the weather or used under field conditions.

5.4.2.2.2.2 Dimensions and separation. Dimensions and separation should conform to Figure 8.

5.4.2.2.2.3 Resistance. Resistance shall conform to requirements in Figure 8. Knobs should be serrated. Fine serrations should be used on precise adjustment knobs; coarse serrations should be used on gross adjustment knobs.

5.4.2.2.2.4 Marking. An indexing mark or pointer shall be provided on each knob. Marks or pointers should differ sufficiently to make it apparent which knob indexing mark is being observed.

USER INTERFACES FOR UNITS

User interface metaphors (Raskin)

- * "Card sharks" -- creators**
- * "Holy scrollers" -- converters**

Are units displayed as fixed size?

How many units can be displayed together?

Can text and graphics be displayed together?

KMS: A Distributed Hypermedia System. CACM1
 For the past seven years, we have been developing a distributed hypermedia system (KMS) based on our previous research with the ZOC system at Carnegie Mellon University. This paper describes KMS and how it addresses a number of hypermedia design issues...

- 1. Background
- 2. Overview of KMS
- 3. Hypermedia design issues
- 4. Conclusion
- Acknowledgments
- References

See Eisa Bouni For New Name Case Into Drop Line...

Background CACM2
 We have been developing hypermedia systems for over a decade. First at Carnegie Mellon University with the ZOC Project, and now at Knowledge Systems with the...

- 1. Early ZOC efforts at CMU
- 2. ZOC on the USS CARL VINSON
- 3. Knowledge Systems and KMS
- 4. Applications we have explored

See Eisa Bouni For New Name Case Into Drop Line...

Introduction to KMS CACM3
 Our primary design goal for KMS is to create a general-purpose software environment that helps an organization manage its knowledge. We are concerned not only with the productivity of the individual...

- 1. KMS data model
- 2. KMS user interface
- Paradigm KMS doesn't use
- What are the differences between KMS and conventional hypertext?

See Eisa Bouni For New Name Case Into Drop Line...

Hypermedia design issues CACM4
 In this section we examine a set of issues for the design of hypermedia systems. Some of these issues have been discussed in Card's summary of the hypertext field...

- 1. Data model issues
- 2. User interface issues
- 3. Authoring issues
- 4. Multiple user issues

• Issues list from PHTC paper

See Eisa Bouni For New Name Case Into Drop Line...

Conclusion CACM5
 If there is one central theme to our experience, it is the fundamental importance of a system's data model. Our experience with ZOC and KMS has convinced us that the data model underlying an interactive system strongly determines the nature of its user interface. We believe this because we have seen the formative influence of the KMS data model on all other aspects of KMS.

- Previous version

See Eisa Bouni For New Name Case Into Drop Line...

Aksey, R., McCracken, D., and Yoder, E. KMS: A distributed hypermedia system for managing knowledge in organizations. *Communications of the ACM*, 31(7), 820-835, July 1988.

ORIGINAL PAGE IS OF POOR QUALITY

Capabilities of New Missiles

Even though the weapons in question replace older weapons (the Pershing 1A and the Vulcan bomber), both are capable of more destruction faster than their predecessors. This is the result of new radar guidance systems, with new levels of accuracy. Also have sufficient range to make vulnerable installations and cities in the Western USSR, in the case of the P2, within a matter of minutes. (p. 371) See [Guidance of Pershing II](#)


Guidance of Pershing II

"The new American Pershing II missile, fitted with a radar-homing warhead, is designed to be even more accurate. As it falls back to earth this compares a radar image of the target with an image stored in its computer memory. It should then be able to adjust its flight path so as to hit its target with pin-point accuracy after a journey of 1,600 kilometers." (p. 13)

See

[Unspecified](#) Tomahawk Characteristics

Map: Missile Ranges



Tomahawk Characteristics

Tomahawk cruise missile: jet engine produces speeds of 800km/h over distances of 2,500 km. [Missile](#) carries a computer which is programmed with maps of the areas missile is to fly over, so can compare actual position with programmed course and correct course. Computer is designed to allow missile to follow a zig-zag

FIGURE 1. Example NoteCards with Embedded Link Icons

ORIGINAL PAGE IS OF POOR QUALITY

LINKS

Existing interconnections -- usually easy to identify because of conventions in printed information

- * Index terms**
- * Cross references**
- * External references**
- * Footnotes**

Potential interconnections

- * Inverses of existing ones**
- * Lexical relationships; indexing and clustering**
- * Conceptual relationships (the hypertext vision!); AI and natural language processing**
- * Emphasis or complement in alternate medium; e.g., connect a picture to its description**

readable product of these efforts.⁷⁰ A more precise use of the term "program" would limit its meaning to source code and machine code (often referred to as "object code").⁷¹ Source and machine code are similar in that both are sets of detailed instructions setting forth the order in which the hardware of a computer is to execute its primitive functions in order to carry out a particular task. Source code, however, is a written text in a human-readable computer programming language.⁷² Machine code is the set of electrical pulses that, more or less, correspond to the source code and make the program instructions "readable" by the computer.⁷³ Machine code is not readable by human beings.⁷⁴ In general, only machine-readable forms of programs are

70. A bill, H.R. 6983, 97th Cong., 2d Sess. (1982), was introduced in the House of Representatives by Congressman Kastenmeier on August 12, 1982, that would have amended § 101 of 17 U.S.C. to redefine "computer program" in a more precise way and to define separately several program-related terms, often loosely referred to as manifestations of programs. The bill did not become law, however, and was not reintroduced in the next session of Congress.

71. The computer program cases tend to refer to "object code" when referring to machine-readable forms of computer programs and often imply—when they do not say so outright—that source code and object code are the only forms to be considered. See, e.g., *Apple Computer, Inc. v. Franklin Computer Corp.*, 714 F.2d 1240, 1243 (3d Cir. 1983). There are, in fact, several intermediate stages possible between source code and the machine-readable code that can be executed. See, e.g., I D. KUCK, *THE STRUCTURE OF COMPUTER AND COMPUTATIONS* 10 (1978). Depending on which hardware and which operating system one uses, object code may be one of those intermediate forms, not the executable form of the program. See, e.g., R. HUNTER, *THE DESIGN AND CONSTRUCTION OF COMPILERS* 11 (1981). Because the cases have involved appropriations of machine-readable versions of programs, which may not be the same as their object codes, this article will focus its analysis on what it will call "machine-readable programs" or "machine code." It will refer to machine-readable programs as "object code" only when the terminology of another source under discussion requires use of that term for consistency.

72. The CONTU Final Report defines source and object code as follows: "A source code is a computer program written in any of several programming languages employed by computer programmers. An object code is the version of a program in which the source code language is converted or translated into the machine language of the computer with which it is to be used." CONTU FINAL REPORT, *supra* note 1, at 21 n.109.

73. It is possible to write a program directly in machine-readable form, but this is rarely done because of the difficulty of writing in machine language. See *infra* note 74.

74. In source code form, the ideas of the program, as well as the particularities of the expression of the ideas in the program, will be apparent, that is, capable of being read by someone who understands the language or symbols the program author has used to describe the program. Source code, like poetry, may contain some abstruse words whose precise meaning might be open to interpretation by readers of the source code, but whatever content there is in the program is there to be discerned. With machine-readable code, neither the ideas nor the expression of the ideas can be "read" in any meaningful sense by one who has no access to the earlier written form of the program.

Examining an encoded ROM chip with an oscilloscope, see *supra* note 32 for an explanation of ROM chips, one can detect the presence or absence of the electrical pulses which constitute the machine code. But machine code is so unreadable that the Copyright Office cannot even identify whether a particular encoded program is an original work of authorship. See *infra* note 218 and accompanying text.

LINK ISSUES (AND TYPES)

Link anchors -- what is being linked (granularity)?

- * Links from unit to unit**
- * Links from points, spans or regions to units; vice versa**

Is the anchor a place (bit position) or an object?

Links as structure connections

- * from table of contents or index to unit**

Links as relationships

- * cross references or semantic (typed) relations between text units**
- * present related graphics, sounds, music, videodisc, animation**

Links as functions or computations, often not resolvable except at runtime

- * compute where to go based on history or current context**

LINK ISSUES (CONT.)

How do you indicate links to the user?

- * Source and destination markers**
- * Link type markers**

Marker options

- * Link symbols or icons**
- * Reverse video**
- * Surround boxes**
- * Bold, italics, underlining, color**
- * Cursor shapes**
- * Flashing or other motion ("moving ants")**

One marker attribute vs. two delimiters?

Overloading of print conventions?

How many marker types can users distinguish?

Markers for non-text media?

From a HyperCard program written by Jakob Nielsen of the Technical University of Denmark. (The content is a trip report from the 1987 ACM Hypertext Conference).

Time since you were here: 14 days

HyperText systems
HyperCard (Apple)

HyperCard from Apple was one of the most discussed pieces of software at the workshop. The general consensus seemed to be that HC was not really hypertext* because of its limited possibilities for associating links with words. [Frank Halasz](#) criticized HyperCard for not having a structural overview or a browser to help users navigate stacks.

[Andy van Dam](#) in his opening speech called HC "beautifully engineered in spite of its many flaws" and suggested that it would "enculture" the computer community. It is simple enough to be widely used and is already emerging as somewhat of a cult phenomenon. On the other hand, [Jef Raskin](#) said that HyperCard is only cheap and popular for the software itself. To run it, you need an expensive computer in the form of a Macintosh, so in reality it is "yuppie-text".

HyperCard was presented reasonably impressively in a demo by Mike Liebhoid from Apple and it was also used by many of the other information structures shown in the lobby outside the lecture halls. One of the most

Quit

Current report overview map

The workshop

HyperTEXT '87 Workshop

People

Literature

Systems

Research issues

Applications

Definition

CSCW '86 Trip Report

Current chapter overview map

Classification of HT systems

HyperText systems

HyperCard (Apple)

Document Examiner

NoteCards

Top

Front cover

History list

ORIGINAL PAGE IS
OF POOR QUALITY

IDENTIFYING NAVIGATION AIDS

Purpose

- * finding the right place**
- * finding the next "right place"**
- * returning to some previous place**

Unit names, especially numerical ones

"Roadmaps" (usually in preface)

Structure landmarks

- * Volumes, tabbed dividers, color cues**

Sequence and cohesion signals in text

- * "First," "next," "another," etc.**

Running heads

Navigation aids defined by user

- * Bookmarks, turned pages, incidental marks**

Part 2. Word Processing and File Access

	Trained computer- science students and computer professionals	Computational linguists and language-processing researchers	Students in library and information sci- ence or science and technology programs
Chapter 4: An introduction to text editing and format- ting and to automatic typesetting	✓ may be skipped by persons experienced in text editing		✓
Chapter 5: Statistical language analysis and basic text- compression methods	✓	Section 5.1 may be covered	skip except for Section 5.1
Chapter 6: Introduction to text encryption and a review of basic text-encryption meth- ods	✓		
Chapter 7: File-access methods for single-key and multiple- key search statements	✓ those familiar with data structures may start with Section 7.8		
		go to Chapter 9	go to Chapter 8

Salton, Gerard. *Automatic Text Processing*. Addison-Wesley, 1989.

ORIGINAL PAGE IS
OF POOR QUALITY

USER INTERFACES FOR NAVIGATION SUPPORT

**Extremely important aspect of hypertext design
because without it applications are unusable**

Maps


- * global vs. local**
- * active vs. passive**
- * handmade vs. system-generated**

Places visited

- * "you've been here" markers**
- * Backtracking for in-order return to "places visited"**
- * Bookmarks for out-of-order return to any previous place**
- * History lists**


Places to visit


- * Paths, scripts, paths, guides**



From *Intermedia* system. Figure comes from:
 Conklin, J.. Hypertext: An introduction and survey. *Computer*, 20(9), 17-41. September 1987.

ORIGINAL PAGE IS
 OF POOR QUALITY





Hardman, L. Evaluating the usability of the Glasgow Online hypertext. *Hypermedia*, 1(1), 34-63, Spring 1989.

ORIGINAL PAGE IS
OF POOR QUALITY

IV. APPLICATIONS

Survey of hypertext applications

Creation examples

Conversion examples

Common characteristics

**Relationship to similar non-hypertext
applications**

HYPERCARD HELP

Graphical hierarchical entry point

- * enter hierarchy at top (Introduction) or second level**
- * hides significant detail (414 cards)**

"Filebox" metaphor

- * but why is it upside-down?**


Active navigation map (hand-drawn)

- * select a location to move to it**

HyperCard Help

☐ Introduction


Click the Browse tab below
after you've seen the
Introduction.




Browse Paint Copy Menus Reference HyperTalk Map Glossary Index Exit

From HyperCard by Apple Computer.

ORIGINAL PAGE IS
OF POOR QUALITY



From HyperCard by Apple Computer.



From *HyperCard* by Apple Computer.

ORIGINAL PAGE IS
OF POOR QUALITY

DOCUMENT EXAMINER

"Document Examiner" contains complete reference manual for Symbolics workstation software (Jan Walker)

- * uses book metaphor, not network metaphor**
- * consists of 10,000 text modules, corresponding to 8000 printed pages**
- * readers find relevant information using outline viewer or by query**

System-generated active local maps for navigation

Bookmarks for returning to previously viewed places

to Camera
(n-X) 2a

Introduction to Com

Replying to Email Messages

[illegible]



Shaw Candice

Show Documentation

Table of Contents

1

ORIGINAL PAGE IS
OF POOR QUALITY

Document Examiner

Predefined Presentation Types

Presentation types form the basis of the typing system for user input and program output. A large number of predefined presentation types exist; relatively few are used for program I/O. This is because every structure, flavor, and Common Lisp data type is also a presentation type. Most, however, are of little use in end-user-oriented application programs. Consider, for example, the Common Lisp types hash-table and compiled-function; you would not generally encounter these in end-user-visible places.

In this section, we list what we regard as the types most likely to be used by application programmers. Some, like integer, string, and boolean, are encountered frequently in all kinds of programs. Many others, like sys:code-fragment and net:network, are more specialized in their uses.

In any case, all of the types included here are also documented as individual entries in the Dictionary of Predefined Presentation Types.

Also, many of them are defined in the file `dynamic-winsize-standard-presentation-types.lisp`, where you can look for models when defining your own types. The dictionary entry for each type notes whether it is one of those included in this file.

The documented types are divided into three groups:

1. Common Lisp Presentation Types
2. Symbolics Common Lisp Presentation Types
3. Other Presentation Types

Of course, the Common Lisp types form a subset of the Symbolics Common Lisp types, but for the purposes of the present discussion, we separated them out. The Other Presentation Types include the potentially useful types exported from packages other than Symbolics Common Lisp; most of them are in the specialized-use category.

The following table lists the useful Common Lisp presentation types:

Common Lisp Presentation Types
and
character

Viewer: Standard (Reader)

Commands

- ▶ Show Overview Predefined Presentation Types
- ▶ Find Table Of Contents Presentation Substrate Facilities
- ▶ Show Documentation Predefined Presentation Types

House-A: Menu.

To see other commands, press Shift, Control, Meta-Shift, or Super.
[Thu 8 Dec 12:15:19] Keyboard DC-DECK: User Input

Current Candidates

Presentation Substrate Facilities
Basic Presentation Types Concepts
Predefined Presentation Types
Presentation Arguments to Presentation
Instances of Presentation Arguments
Presentation Input Definition Facilities
Presentation Input Constant Facilities
Presentation Input Bit Facilities
Other Presentation Facilities
Writing a Presentation Type Parser
User-Defined Basic Types as Presentation Types
Exporting Presentation Types and Presentation
Show Presentation Type Command
Show Handlers For Types Command
Presentation Inspector
Using the Presentation Inspector
Inspecting the Presentation Inspector
The Presentation Inspector's Frame
Strategy for Using the Presentation Inspector
Presentation Inspector Commands
Summary of Presentation Inspector Commands
Help Presentation Inspector Command

Documentation

Show Candidates
Show Documentation
Show Overview
Show Table of Contents
Help
Select Viewer
Reselect Candidates
Private Document

ORIGINAL PAGE IS
OF POOR QUALITY

MEDICAL HANDBOOK

**Washington U. Medical School research project
(Mark Frisse)**

**Conversion of existing notebook into NoteCard
chunks**

- * made easier by strong hierarchy of existing material**
- * but not always good names for sections, so use first few words as unit name; works in recognition situation for expert users but probably not in casual use application**

**Problem of "hierarchically distributed keywords"
typical of conversion applications**

- * what a paragraph is about not always clear when viewed out of context**
- * use search algorithm that combines intrinsic weight of unit with weight of its descendants in hypertext hierarchy**

S1.IV. ENDOTRACHEAL INTUBATION

IV. Endotracheal intubation and tracheostomy.

Endotracheal tubes are classified by size according to their internal diameter. Since the resistance to airflow is proportional to the fourth power of the tube radius, a large tube (e.g., > no. 8) is preferable to minimize airway resistance and the work of breathing. A large tube also easier suctioning and allows passage of the bronchoscope when indicated.

S1.IV.A. INDICATIONS. THE MOST COMMON

S1.IV.B. ENDOTRACHEAL INTUBATION SHOULD BE

S1.IV.C. TRACHEOSTOMY IS INDICATED WHEN

S1.IV.D. CUFF CARE IS IMPORTANT WITH BOTH

S1.IV.E. PROBLEMS AND COMPLICATIONS

IMIS


Integrated Maintenance Information System being developed by Air Force (Dave Gunning <513> 255-2606)

- * designed to merge diagnostics from airplane with maintenance documentation to reduce extraneous information and tailor instructions**
- * goal is to put it all in a portable computer that can be carried out to the plane**

Lesson: hard to convert existing documents; should require contractors to deliver information in "neutral" form that is free of paper and formatting conventions

- * IMIS is being watched carefully by CALS program!!**

- c. Connect RG-62A/U cable from sis generator CHAL/TAG VAR AMPL (1) to signal generator AUX MOD IN (4).
- d. Connect 10-inch RG-62A/U cable (supplied with AN/UPM-137A) from signal generator IN/OUT 0.5-50M (3) to signal generator LOW 20dB 50-2000M (2).



NEXT

BACK

LESS

DIRECT

T.O.C.

THEORY

RETURN

NEW OXFORD ENGLISH DICTIONARY

Research project at University of Waterloo to convert OED to digital form and assess potential for hypertext version

- * Big document => big database! 20 volumes, 320,000 entries, 2.4 million quotes, 56 million total words**
- * 21,000 printed pages => machine-readable form by manual keyboarding. Twenty "tags" in entries later expanded to sixty.**

Seems like a perfect candidate for hypertext, but...

- * What are the units? Dictionary entries vary in size from a few words to thousands and have complex internal structure. Better to dynamically construct units as views from entry "database"**
- * Where are the links? 600,000 explicit cross references, many imprecisely specified. Fast full-text search can simulate linking with much less implementation effort**

SIMPLIFIED STRUCTURE OF OED ENTRY WITH COMMONLY OCCURRING TAGS

ENTRY		<E>
HEADWORD GROUP		<HG>
Headword Lemma		<HL>.. </HL>
Murray Pronunciation		<MPR>.. </MPR>
IPA Pronunciation		<IPR>.. </IPR>
Part of Speech		<PS>.. </PS>
Homonym Number		<HO>.. </HO>
END OF HEADWORD GROUP		</HG>
VARIANT FORM LIST		<VL>
Variant Date		<VD>.. </VD>
Variant Form		<VF>.. </VF>
END OF VARIANT FORM LIST		</VL>
ETYMOLOGY		<ET>.. </ET>
SENSE(S)		<SO><S1>...<S8>
Sense Number		<#>.. </#>
Definition		<DEF>.. </DEF>
Quotation Paragraph		<QP>
Earliest Quote		<EQ><Q>
Date		<D>.. </D>
Author		<A>..
Work		<W>.. </W>
Text		<T>.. </T>
End of Earliest Quote		</Q> </EQ>
Quote(s)		<Q>.. </Q>
Latest Quote (Obsolete Entries Only)		<LQ> <Q>.. </Q> </LQ>
End of Quotation Paragraph		</QP>
Sub-Entry (Preceded by "Hence")		<SE>
Bold Lemma (+ similar tags to those following Headword Lemma)		<BL>.. </BL>
End of Sub-Entry		</SE>
END OF SENSE(S)		</SO> </S1>.. </S8>
END OF ENTRY		</E>

abbreviate v.

abbreviate, v. Also 5-7

abbreviate, [*i. abbreviate ppl. a;* or on the analogy of *vbi. so* formed; see -ate. A direct representative of *L. abbreviare*; as abridge, and the obs. *abrey*, represent it indirectly, through *Ofi. abregier* and midFr. *abrevider*. Like the latter, *abbreviate*, was often spell *a-breviate* in 5-7.] To make shorter, shorten, cut short in any way.

1538 *Palmer*, I *abrey*: I make a *uyng* above, I *abrey*. 1635 *Bacon* *Esays* xlv, 99 (1662) But it is one thing to *abbreviate* by connecting, another by cutting off.

1 *trans.* To make a discourse shorter by omitting details and preserving the substance; to abridge, condense.

Obs.
A. 1458 *Chaucer* P. l. 2 (5th. Sec.) This manner he *abbreviated* into playes twenty-four.

1592 *Garrus* *Comy* catching ill. 16 The *queane* *abbreviated* her discourse. 1637 *Ralston* *Mechanic* 34 *Abbreviated* out of two *Arabian* writers translated into Spanish. 1673 *Maitrey* *Interpreter* pref., I have omitted several *Matters*, connected and *abbreviated* Others.

b To make an abstract or brief of, to epitomize. *Obs.*
C. 1458 *Trevusa* *Higden's* *Polychr.* 1. 21 (Rolls Ser.) *Trogus* *Pompeius*, in his xlviii. books, almost of all the stories of the world, whom Iustus his disciple did *abbreviate*. 1683 *Flores*

Medicine (1639) 627 To *redu*, to *redu*, and to *abbreviate* *Polibius*. 1648-9 *The Kingdome* *Weekly Intelligence* Jan. 16 to 23 The high court of Justice did this day at again concerning the trial of the King. The charge was brought in and *abbreviated*.

c *Math.* To *redu* a (a fraction) to lower terms. *Obs.*
1796 *Mathem.* Dict. 1. 2 To *abbreviate* fractions in arithmetic and algebra, is to lessen proportionally their terms, or the numerators and denominators.

2 *intr.* To speak or write briefly, to be brief. *Obs.*
1587 *Waller* *Albion's* *Eng.* xlii. lxxv. 302 But now Rome left, of old Rome now *abbreviate* we will. 1622 *Maitrey* *Interp.* *Law-Merch.* 233 To *abbreviate*, I do referre the tedious Reader hereto to *Master* Hill his books of *Husbandrie*.

3 *trans.* To shorten by cutting off a part; to cut short. *Of time.* *arch.*
1529 *Whitson* *Velgerie* 34 *Ryot*, *abbreviate* and *shorten* many a *maner* *lyfe*. 1621 *Burton* *Anat.* *Med.* 1. ii. 3. xv. 130 (1651) That *adventure* themselves and *abbreviate* their lives for the public good. 1646 *Sm. T.* *Bowens* *Proof*, Ep. 300 Against this we might very well set the length of their lives before the flood, which were *abbreviated* after.

b Of any operation occupying time.
1494 *Faust* *vr.* 333 If it sounds any *uyng* to their dishonour, then shall it be *abbreviate* or hyd that the

abbreviate v.

abbreviate, v. Also 5-7

abbreviate, [*i. abbreviate ppl. a;* or on the analogy of *vbi. so* formed; see -ate. A direct representative of *L. abbreviare*; as abridge, and the obs. *abrey*, represent it indirectly, through *Ofi. abregier* and midFr. *abrevider*. Like the latter, *abbreviate*, was often spell *a-breviate* in 5-7.] To make shorter, shorten, cut short in any way.

1 *trans.* To make a discourse shorter by omitting details and preserving the substance; to abridge, condense. *Obs.*

b To make an abstract or brief of, to epitomize. *Obs.*
c *Math.* To reduce (a fraction) to lower terms. *Obs.*

2 *intr.* To speak or write briefly, to be brief. *Obs.*
3 *trans.* To shorten by cutting off a part; to cut short a time. *arch.*

b Of any operation occupying time.
c Of things material; mostly *fig.* *arch.*
d Of words spoken or written, or symbols of any kind: To contract, so that a part stands for the whole. The common mod. *usa* e Of sounds: To make (a vowel or syllable) short

1538 *Palmer*, I *abrey*: I make a *uyng* above, I *abrey*. 1635 *Bacon* *Esays* xlv, 99 (1662) But it is one thing to *abbreviate* by connecting, another by cutting off. A. 1458 *Chaucer* P. l. 2 (5th. Sec.) This manner he *abbreviated* into playes twenty-four.

1592 *Garrus* *Comy* catching ill. 16 The *queane* *abbreviated* her discourse. 1637 *Ralston* *Mechanic* 34 *Abbreviated* out of two *Arabian* writers translated into Spanish. 1673 *Maitrey* *Interpreter* pref., I have omitted several *Matters*, connected and *abbreviated* Others.

b To make an abstract or brief of, to epitomize. *Obs.*
C. 1458 *Trevusa* *Higden's* *Polychr.* 1. 21 (Rolls Ser.) *Trogus* *Pompeius*, in his xlviii. books, almost of all the stories of the world, whom Iustus his disciple did *abbreviate*. 1683 *Flores*

abbreviate v.

1538 *Palmer*, I *abrey*: I make a *uyng* above, I *abrey*. 1635 *Bacon* *Esays* xlv, 99 (1662) But it is one thing to *abbreviate* by connecting, another by cutting off. A. 1458 *Chaucer* P. l. 2 (5th. Sec.) This manner he *abbreviated* into playes twenty-four.

1592 *Garrus* *Comy* catching ill. 16 The *queane* *abbreviated* her discourse. 1637 *Ralston* *Mechanic* 34 *Abbreviated* out of two *Arabian* writers translated into Spanish. 1673 *Maitrey* *Interpreter* pref., I have omitted several *Matters*, connected and *abbreviated* Others.

C. 1458 *Trevusa* *Higden's* *Polychr.* 1. 21 (Rolls Ser.) *Trogus* *Pompeius*, in his xlviii. books, almost of all the stories of the world, whom Iustus his disciple did *abbreviate*. 1683 *Flores* *Medicine* (1639) 627 To *redu*, to *redu*, and to *abbreviate* *Polibius*. 1648-9 *The Kingdome* *Weekly Intelligence* Jan. 16 to 23 The high court of Justice did this day at again concerning the trial of the King. The charge was brought in and *abbreviated*.

1796 *Mathem.* Dict. 1. 2 To *abbreviate* fractions in arithmetic and algebra, is to lessen proportionally their terms, or the numerators and denominators. 1587 *Waller* *Albion's* *Eng.* xlii. lxxv. 302 But now Rome left, of old Rome now *abbreviate* we will. 1622 *Maitrey* *Interp.* *Law-Merch.* 233 To *abbreviate*, I do referre the tedious Reader hereto to *Master* Hill his books of *Husbandrie*.

1529 *Whitson* *Velgerie* 34 *Ryot*, *abbreviate* and *shorten* many a *maner* *lyfe*. 1621 *Burton* *Anat.* *Med.* 1. ii. 3. xv. 130 (1651) That *adventure* themselves and *abbreviate* their lives for the public good. 1646 *Sm. T.* *Bowens* *Proof*, Ep. 300 Against this we might very well set the length of their lives before the flood, which were *abbreviated* after.

1494 *Faust* *vr.* 333 If it sounds any *uyng* to their dishonour, then shall it be *abbreviate* or hyd that the trouble shall not be known. 1655 *Fulton* *Ca. Hist.* ii. 116 King *Edward* was at his *Devotion*, which he would not easily, nor *abbreviate* for all their *Chambers*.

1665 E. B. *Tryan* *Early Hist. Mem.* iii. 98 The contents *Egyptian* may be seen in the sculptures *abbreviating* the figures. 1552 *Larmen* *Scrm.* *for 3rd* *Sec.* in *Adv.* *Wm.* II. 307 The hand is not *abbreviated*, or his power *diminished*. 1599 A. M. *Gebelinus's* *Book of Physicks* 176/2 *Abbreviate* as then the *baggs*, because it may *embargo*.

a 1668 *Milnes* *Accedence* (Wm. 1759) l. 607 The long way is much *abbreviated*, and the labour of understanding much more easy. 1508 *Enayr*, *L.L.* v. 1. 26 He *carp* a *Calif*, *Cant*: *Maltr*, *Healt*, *neighbour* *vocatur* *neighbour*, *neigh* *abbreviated* ne: this is *abominable*. 1724 *De* *For* *eo*. 4 *For* l. 364 (1759) The *Examination* of the *Saxons*, which was *afterwards* *abbreviated* to *Excerpt* and *Excer*.

1600 *Garrus* *Phys.* *Geog.* l. iv. 27 Parts is situated two

CHARACTERISTICS OF GOOD HYPERTEXT APPLICATIONS

**Large amounts of multi-media units related more
by content than by structure**

- * hierarchical or procedural structures
especially useful**

Need for non-sequential partial access to units

- * not cover-to-cover**
- * intermittent or unpredictable use**
- * "right answer" easier to recognize than to
specify**

Pragmatic considerations

- * document being written or rewritten**
- * source text already available, usable markup
(SGML as an ideal)**
- * if existing text, you own the copyright or not
copyrighted**

RELATIONSHIP TO SIMILAR NON-HYPertext APPLICATIONS

Databases -- more appropriate when relationships among units are highly regular or text only; "link types" inflexibly fixed in db schema; but distinction blurring rapidly as dbs adopt hypertext front ends

Electronic mail or conferencing systems -- units related through fixed header fields or by simple question-answer relationships

Multimedia (e.g., video, film) -- synchronized media (like soundtrack) not selected and invoked by user

Scanned image storage and delivery with attached keywords -- can be useful intermediate stage in transition from pure paper environment (with lots of drawings and pictures) to hypermedia system

V. "OFF THE SHELF"

HYPERTEXT SOFTWARE

What's available

How to evaluate it

Issues and features

Alternatives

WHAT'S AVAILABLE

PCs

Black Magic

Guide

HyperDoc

HyperPad

HyperTIES

KnowledgePro

LinkWay

NaviText

SmarText

ToolBook

Window Book

WHAT'S AVAILABLE (CONT.)

Mac

ArchiText

Document Examiner

Guide

HyperCard

HyperGate

Intermedia (Mac Unix)

Plus

SuperCard

Workstations

Document Examiner

KMS

Knowledge Broker

NoteCards

EVALUATION CRITERIA

Environment(s) it runs in

Support for text structures

Support for non-textual components

Link types and granularity

Access methods/entry points

Navigation and session support

Extensibility

(Manual, support, marketing)

"Purpose"

ENVIRONMENTS

Programs run on PCs, Macs, Workstations

- * but few run on more than one platform**

- + Guide on PC and Mac**

- + Document Examiner on Symbolics, MacIvory**

- * some vaporware rumored to "compile" HyperCard stacks to run on PC**

Typical software architectures make interchange formats a long way off

- * most programs do not separate back and front ends**

- * most programs use proprietary back ends and special formats anyway**

TEXT STRUCTURES

Typical program limitations

- * total number or size of units**
- * no scrolling text for "card" or "page" metaphor programs**
- * number of units that can be displayed simultaneously**
 - + just one**
 - + one, with temporary pop-up overlay window**
- * single font or type size**
 - + makes it hard to reproduce look of printed document**
 - + some programs claim character-only display is asset!**

NON-TEXTUAL COMPONENTS

**Some programs work only in character mode
(and claim that lack of graphics is an
advantage!)**

**Other programs "launch" graphics
programs to display graphics that take over
the screen, so graphics can't be mixed with
text or made the source of a link**

**Most programs can display graphics in
standard formats**

- * many can cut-and-paste graphics to
merge with text**
- * fewer have capability to edit or resize
graphics once imported**

**Installed base of small display screens is a
constraint that will eventually go away**

**Other problems with graphics displays await
cognitive rather than technological solutions**

LINK TYPES AND GRANULARITY

Many programs have built in link types with conventions for representing source, destination, and link semantics

- * Guide uses cursor changes for different link types**
- * HyperCard conventions and button examples**
- * HyperTIES built-in link preview**

Most important practical distinction is link "granularity"

- * unit to unit links only (often closely tied to card or page metaphor) impose pressure to keep units short which is a significant constraint if no text scrolling**

Can graphics be made the source of a link?

- * essential for active navigation support and "exploding" diagrams**

ACCESS METHODS AND ENTRY POINTS

Most programs lack good support for existing entry points like Table of Contents or Indexes

- * Some programs automatically build outline viewers from article or unit titles**
- * For other programs outline viewers can be hand-crafted from link repertoire, but this can be tedious**

Most programs have some simple text search capability, but this mechanism is often inadequate for large hypertexts

NAVIGATION AND SESSION SUPPORT

Many programs have built-in navigation functions

- * Commands for next, previous, first, last units in current "stack," "folder," or whatever name given to current unit context**
- * Backtracking functions are more common than bookmarking functions because the former don't require that the visited units or screens have names**
- * HyperCard has "graphical bookmark" facility with active pictures of recently displayed cards**
- * Useful but seldom-seen feature is creating bookmark reminder without actually having to go there**

EXTENSIBILITY

How can programs provide functions that aren't contained in the off-the-shelf version?

- * programming language (NoteCards, Document Examiner)**
- * scripting language (Guide, HyperCard, HyperDoc, HyperPad, LinkWay, SuperCard)**
- * limited ability to invoke external programs or control serial port (Hyperties)**

Sometimes the vendor or a 3rd party can write custom software

Some programs are simply closed environments and not able or willing to interact with other programs

PURPOSE

Basic distinction between authoring and conversion usually has scale implications

- * which is the harder problem?**
- * few programs are designed explicitly to support conversion**
 - + Concordia (authoring tools for Document Examiner) sets the standard**
 - + other announced and unannounced programs look promising**

Some "hypertext" programs are much better used as user interface prototypers than as hypertext delivery vehicles

In contrast, many database programs or expert system shells have successfully added some hypertext features

Does it matter if it is "really" hypertext if it helps the user?

VI. CONVERTING TEXT INTO HYPERTEXT

Why conversion is an important problem

**Why converting existing documents can be
harder than creating new documents**

Conversion questions

Conversion philosophies

Hypertext engineering

WHY CONVERSION IS AN IMPORTANT PROBLEM

An enormous installed base of paper makes some amount of conversion inevitable!

Sometimes you can't create

- * Qualified writers or subject matter experts not available**
- * Not enough time or money**

Sometimes you must convert

- * Distribution and maintenance costs**
- * The "productivity paradox" -- desktop publishing vs. CASE -- that results in lagging documentation**
- * Regulatory or market pressures (e.g. EC 92)**
- * Paper form of information paper won't fit
+ submarine, space station**

WHY CONVERTING EXISTING DOCUMENTS CAN BE HARDER THAN CREATING NEW DOCUMENTS

The structure of existing documents must be identified from partial or ambiguous information

The author's explicit or implicit design rationale may not be available to aid in the conversion (while the author is always available to help in creation projects!)

In conversion, issues of scale are critical from the outset; in creation, complexity is incremental

Software tools for creation are numerous, but few are available that support conversion; using creation tools for conversion projects is difficult

CONVERSION QUESTIONS

What kinds of documents make the best candidates?

What aspects of documents pose problems for conversion?

How much conversion can be done automatically or semi-automatically?

Into what format should the document be converted?

What tools and methods are needed to support conversion?

Can you live with the constraints imposed by "off the shelf" hypertext software? Should you?

What are the alternatives to using "off the shelf" hypertext software?

CONVERTING GRAPHICS

Screen size and resolution is often significantly inferior to that of the printed source materials

Except for simple line drawings or pictures, display limits make scanned bit maps illegible

- * replacing scanned text "extends the viable range"**

Vectorizing reduces storage space and display time, supports zooming and panning

- * tradeoff between cleanup and redrawing**

Sometimes it is necessary to redesign the graphics

- * multiple panels => "animation"**

- * data plots => "data viewer"**

5.708 Illusory Self-Inclination




Figure 1. Perceived roll tilt angle produced by full-field rolling visual stimulus of varying velocities as a function of head position. Symbols indicate individual subject data and solid lines connect median values. (From Ref. 1)

Boff, K. R., & Lincoln, J. E. *Engineering Data Compendium: Human Perception and Performance*. AAMRL, Wright-Patterson AFB, OH, 1988.

ALTERNATIVES

Hypertext conversion services

- * HyperTRANS (Texas Instruments)**
- * Window Book**

Text Managers

- * Views (Folio)**
- * Topic (Verity)**
- * Knowledge Broker (Apollo)**
- * HyperSift + AskSAM (AskSAM Systems)**

Desktop Publishers

- * Interleaf**
- * Arbor Text**

Visual Programming

- * Layout**

Other

- * Wingz**

CONVERSION PHILOSOPHIES

"Hand-crafted" hypertext

- * "Hypertext requires creativity; only if you build a hypertext by hand can you add any real value."**

"Computer-generated" hypertext

- * "If you don't convert automatically, it will never be cost-effective."**
- * "I don't care if it isn't really hypertext; it's more usable than it was before."**

"Engineered" hypertext

- * "I'll begin with automatic conversion and custom design the parts that don't convert well by computer."**
- * "I'll try to influence the 'upstream' processes so that the documents are easier to convert next time."**
- * "I'll figure out how much hypertext I really want and am willing to pay for."**

"HYPERTEXT ENGINEERING"

(Glushko, et al 1988)

Hypertext is an attractive vision, but practical hypertext applications are hard to build

Hypertext is not a revolutionary new idea; it is the natural extension of decades of work in computer storage and retrieval of text now that enabling technology and user interface concepts have arrived

Successful hypertext projects are those that take a cautious approach to problems of scale and that make the right tradeoffs along the way

A disciplined approach to analyzing information, identifying constraints in its structure and in the task environment, and using the appropriate implementation technology are required

